

ΕN



t



Manufacturer Machine type Carrier	JAMA Mining Machines AB Charging Truck Vertical (CTV) Volvo FMX <i>CE markt.</i> <i>Approved in accordance with AFS 2008:3</i>
<b>DIMENSIONS</b> Height [mm] Wheelbase [mm] Length in transport mode [mm]	3200 Depends on size of tank Depends on size of tank
BOOM SYSTEM	Complete hydraulics for operating the boom. Electric and diesel operation of boom. Charging boom/crane made by Hiab, alternative brands by agreement* Radio control charging unit and boom made by IRC, alternative brands by agreement** Extra receiver - Option* Hydraulically foldable support legs.
FEEDER/CHARGING REEL	By agreement* Jama charging reel - Option*
MATRIX CONTAINER	Jama matrix container - Option*
ELECTRICAL SYSTEM	<ul> <li>1000V (660/690V Option*)</li> <li>Cable reel with rack in stainless steel.</li> <li><i>Capacity: 180 meters (max outer diameter of cable 30mm)</i></li> <li><i>Dimension:</i> Ø 1200mm, B 300mm</li> <li>Control of cable reel in cab and in front of carrier (in/out and automatic roll up).</li> <li><i>Cable are not included.</i></li> <li>Encapsulated transformer 1000/400V 25kVA</li> <li>1 pc 400V outlet, 10A for charging module</li> <li>All electrical cabinets in stainless steel.</li> </ul>

## Electrical system cont.

Maintenance charger (charges when 1000V is switched on) Separate 230V supply for interior heater outlet/ battery charging during storage. Emergency stop 4 pcs (automatic reset of emergency stop) Cable management over roof. Hydraulic power station - Option\* Hydraulically powered compressor - Option\* Extra camera for cable reel (separate display in cab) -Option\*

## LIGHTING (24V)

Headlamp high beam	See technical specification carrier.
Head lamp low beam	See technical specification carrier.
Work lights	LED work lighting on boom
	LED reverse light (2 pcs)
	LED side lighting (2 pcs in front of carrier)
Warning lights	Flashlight front and rear.

## HYDRAULIC SYSTEM

Electro-hydraulic power pack :** Electric motor Voltage Hydraulic tank Hydraulic pump	1pc 30kW, efficiency class IE3 enl IEC 60034-2-1 660/690/1000V 200 litres Variable piston pump, power regulated
<b>Diesel hydraulic power pack:</b> Hydraulic pump	Engine mounted hydraulic pump VP95 Variable piston pump, power regulated Oil cleaning - Option*
FIRE EXTINGUISHING SYSTEM	In accordance with SBF-127/Gramko Sprinkler system Dafo Forrex SV-K100 CO <sup>2</sup> i 1000/690/660V electrical cabinet. Two handheld fire extinguishers on chassi (6 kg). One fire extinguisher in cab (2 kg). Optional brands by agreement*

CENTRAL LUBRICATION	Brand "Lincoln" (alternative brands by agreement)
MANUALS	<ul> <li>1x Operators Manual and Spare Parts List.</li> <li>1x Hydraulic diagram and list of components</li> <li>1x Electric circuit diagrams</li> <li>2x Digital copies</li> </ul>
ADAPTATIONS ON CARRIER	Mudguards rear axle in plastic/stainless/galvanized Storage boxes for lighters Cabinet for pentyl stubine Cabinet for primer
CE MARKT	In accordance with the Machinery Directive 2006/42/EG, SS-EN-ISO19296:2019

\* For complete information, please contact the manufacturer or the manufacturer's representative.

\*\* Electric power can be excluded.

We reserve the right to make changes as the product is under continuous development. Products must be used in conformity with safe practice, the manufacturers instructions, laws and regulations concerning occupational safety and other recommendations.

Rev. A

Technical description Jama CTV

